


Novak Medical Tables & Chairs

.....
Superior • Accessible



The enabling power
of applied knowledge





Contents

S Line

4	EXAMINATION TABLE S
6	EXAMINATION TABLE SL
8	EXAMINATION TABLE SXL
10	EXAMINATION TABLE S PLUS
12	EXAMINATION TABLE SL PLUS
14	EXAMINATION TABLE S3
16	GYNAECOLOGICAL EXAMINATION TABLE S
18	GYNAECOLOGICAL EXAMINATION TABLE S2
20	MASSAGE TABLE S
22	MASSAGE TABLE SL
24	MASSAGE TABLE SXL
26	MASSAGE TABLE S EXCLUSIVE
28	THERAPY TABLE S
30	THERAPY TABLE S PLUS
32	THERAPY TABLE S3
34	THERAPY TABLE S4
36	THERAPY TABLE S8 OSTEO
38	THERAPY TABLE S8 OSTEO LUXURY
40	THERAPY TABLE S8 EXCLUSIVE
42	THERAPY TABLE S8 LUXURY
44	OP SURGERY TABLE S8 LUXURY
46	ENT SURGERY TABLE S8 LUXURY
48	BOBATH S
50	TRANSPORT TABLE SL
52	STRETCHER S

Q Line

55	DAY HOSPITAL CHAIR Q
59	DIALYSIS CHAIR Q

N Line

64	GYNAECOLOGY CHAIR N and N EXCLUSIVE
66	THERAPY CHAIR N
68	BLOODSAMPLE CHAIR N
70	PODIATRY CHAIR N
72	ENT / NEURO CHAIR N

Complementary Product

75	SURGEON STOOL
76	MEDICINE STOOLS
77	FACE CUSHION

79 Colour Chart



S Line



When you are attracted by NEW FORMS

When every DETAIL is FUNCTIONAL





Electric adjustment of height and table sections save time and reduce the risk of injury for personnel because they no longer physically move the table sections with patient on. We offer: **MIDDLE SECTIONS ELECTRIC ADJUSTMENT, FULLY ELECTRIC MODELS** and as an option a **BATTERY BACKUP** in case of power breakdown.



A **SAFETY FUNCTION** prevents being squeezed by the motors moving down.



A handset with **MEMORY FUNCTION** enables quick position adjustment by storing the most commonly used positions, which saves time and allows practitioner to be fully focused on a patient.



INCREASED MAXIMUM TABLE LOAD (240 kg) ensures safe use in case patient weighs a lot or with therapies where practitioner additionally burdens the table top with his own weight.




We offer four different types of upholstery:

BASIC (4 cm) and **THICKER SEAMLESS (DO; 6 cm)** padding **THICK STITCHED (STU; 6 cm)** and **EXTRA THICK STITCHED (STSU; 8 cm)** padding for a wide range of use.

POSITIONS

The construction of our tables enables different patient positions and ensures optimal working conditions and maximum patient comfort during therapies:

HALF-SITTING POSITION, SITTING POSITION, TRENDELENBURG, TREND/ANTI-TRENDELENBURG AND FLEXION POSITION.




There are three breathing hole types used on the S line of tables: **OVAL (OO1)** breathing hole, **OBLONG (OO2)** breathing hole and **WIDE OBLONG (OO3)** breathing hole.

Novak Design Solution



Innovative cover is distinguished by its ergonomic and functional design. An arc, basic design characteristic, represents user-friendliness symbolically as well as practicably. Design itself leads us to the way circular switch is used and enables easy access and simple maintenance. Vast smooth surfaces implemented in shiny silver color emphasize the elegance and high quality of the product.



reddot design award



EXAMINATION TABLE

S

To examine and treat a patient

Description


- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section adjustment
- Seamless padding (4 cm)
- Table ensures maximum comfort
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors


Model

PMS

Accessories

- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- OUZ – ultrasound cutout cushion
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





OOL



VK2



OUZ



LE

NZP3





EXAMINATION TABLE



To examine and treat a patient

Description


- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section adjustment
- Seamless padding (4 cm)
- Table ensures maximum comfort
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

PMS

Accessories

- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- OUZ – ultrasound cutout cushion
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch






NZR

NZP3-L

LE





EXAMINATION TABLE



With extra long head section to examine and treat a patient

Description


- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section adjustment
- Seamless padding (4 cm)
- Table ensures maximum comfort
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

PMSXL

Accessories

- DO – thicker seamless padding (6 cm)
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- OUZ – ultrasound cutout cushion
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





SIF



MOL





EXAMINATION TABLE

S
Plus

To examine and treat a patient also with lifted leg section

Description


- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section and foot section adjustment enable trendelenburg position
- Seamless padding (4 cm)
- Table ensures maximum comfort
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

PMSP

Accessories

- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





CK





EXAMINATION TABLE

**SL
Plus**

To examine and treat a patient also in half-seated position or with lifted leg section


Description

- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section and foot section adjustment enable trendelenburg position
- Seamless padding (4 cm)
- Table ensures maximum comfort
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

PMSLP

Accessories



- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3-L – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch



NZP3-Z



PVCS



RS





EXAMINATION TABLE

S3

Three-section examination table for wide range of use

Description


- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- Circular switch with electric model enables height adjustment from any side of the table
- Easy back and leg section adjustment, sitting section is fixed
- Seamless padding (4 cm)
- Table ensures maximum comfort
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

PMS3


Accessories

- DO – thicker seamless padding (6 cm)
- LE – fixation rail
- SIF – infusion stand
- PVCS – PVC cover for leg section
- NZP3-L – paper roll holder under head section
- AC – antistatic castors (Ø 75 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch






NZP3-L



NS










GYNAECOLOGICAL EXAMINATION TABLE

S

Three-section table for gynaecological/ urological and general examinations



Description

- Hydraulic (-H) or electric (-E, -EX, -LUX) height adjustment
- Table sections are hand  or electric  adjustable (depends on model)
- Table width is 65 or 75 cm
- Circular switch for height adjustment (-E, -EX, -LUX), double foot switch for height and sitting section adjustment (-EX) or double foot switch for sitting and back section adjustment (-LUX)
- Thicker seamless padding (6 cm)
- Supplied with: retractable castors (Ø 75 mm) to move at short distances, gynaecological legrests on fixation rail, retractable inox bowl under the seat, support handles on fixation rail
- Upholstery available in more than 40 colors

Model

PMSG

Accessories

- PVC-SG – PVC cover for sitting section
- NZP3-L – paper roll holder under head section
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch
- NZN1– stirrups instead of “CLASSIC” leg rests
- NZNW – white “CLASSIC” leg rests
- UROH – urology holder



PMSG-H // PMSG-E



PMSG-EX



PMSG-LUX



NZR1




NZN



NS









GYNAECOLOGICAL EXAMINATION TABLE

S2

Two-section table for gynaecological/ urological and general examinations



Description

- Hydraulic (-H) or electric (-E, -EX, -LUX) height adjustment
- Table sections are hand  or electric  adjustable (depends on model)
- Easy adjustment of TRENDLENBURG position (-6°)
- Table width is 65 or 75 cm
- Circular switch for height adjustment (-E, -EX, -LUX), double foot switch for height and sitting section adjustment (-EX) or double foot switch for sitting and back section adjustment (-LUX)
- Thicker seamless padding (6 cm)
- Supplied with: retractable castors (Ø 75 mm) to move at short distances, gynaecological legrests on fixation rail, retractable inox bowl under the seat, support handles on fixation rail
- Upholstery available in more than 40 colors

Model

PMSG2

Accessories

- PVC-SG – PVC cover for sitting section
- NZP3-L – paper roll holder under head section
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch
- NZN1– stirrups instead of “CLASSIC” leg rests
- NZNW – white “CLASSIC” leg rests
- UROH – urology holder



PMSG2-H // PMSG2-E



PMSG2-EX



PMSG2-LUX



NZR1



NZN



NS





MASSAGE TABLE

S

For any kind of massages and physiotherapy treatments

Description


- Stable table with level top
- Table width is 65 or 75 cm
- Hydraulic or electric height adjustment
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section adjustment
- -90° head section adjustment (only with MMS-N90)
- Thicker seamless padding (6 cm)
- Oval, oblong or wide oblong breathing hole
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

MMS

Accessories

- COO – breathing hole plug
- TVL – three-part head section
- KR – folding side armrests
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3 – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





TVL




COO



N90

NZP3





MASSAGE TABLE

SL

With elongated head section to perform massages and physiotherapy treatments also in half-seated position

Description


- Stable table with level top
- Table width is 65 or 75 cm
- Hydraulic or electric height adjustment
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section adjustment
- Thicker seamless padding (6 cm)
- Oval, oblong or wide oblong breathing hole
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

MMSL

Accessories

- COO – breathing hole plug
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3 – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





STU



PVCS



NZP3-Z





MASSAGE TABLE

SXL

With extra long head section to perform massages and physiotherapy treatments in different positions

Description


- Stable table with level top
- Table width is 65 or 75 cm
- Hydraulic or electric height adjustment
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section adjustment
- Thicker seamless padding (6 cm)
- Oval, oblong or wide oblong breathing hole
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distance
- Variety of accessories
- Upholstery available in more than 40 colors

Model

MMSXL

Accessories

- COO – breathing hole plug
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3 – paper roll holder under head section
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch






RS



NZP3





MASSAGE TABLE



Fully equipped to perform any kind of massages and physiotherapy treatments

Description


- Stable table with level top
- Table width is 65 or 75 cm
- Electric height adjustment
- Circular switch enables height adjustment from any side of the table
- Oval, oblong or wide oblong breathing hole with a matching plug
- Three-part head section
- Stitched padding (6 cm), thick also at the sides of table top
- Folding side armrests
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Upholstery available in more than 40 colors

Model

MMS-ex

Accessories

- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





STSU




RS



NKP3-Z





THERAPY TABLE

S

Basic therapy table to perform therapy in different positions

Description


- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- Hand adjustable head and leg section, back section is fixed
- Leg section adjustment enables seated position
- Circular switch enables height adjustment from any side of the table
- Thicker seamless padding (6 cm)
- Oblong, oval or wide oblong breathing hole
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

TMS

Accessories

- COO – breathing hole plug
- TVL – three-part head section
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder under head section
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





TVL




VK2



COO



NZP6



THERAPY TABLE

S
Plus

Basic therapy table enables also trendelenburg position

Description


- Hydraulic or electric height adjustment
- Table width is 65 or 75 cm
- All three sections of the table are hand adjustable
- Leg section adjustment enables seated position
- Circular switch enables height adjustment from any side of the table
- Thicker seamless padding (6 cm)
- Oblong, oval or wide oblong breathing hole
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

TMSP

Accessories

- COO – breathing hole plug
- TVL – three-part head section
- PVCS – PVC cover for leg section
- NZP3 – paper roll holder under head section
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





NZP6



RS



COO

TVL





THERAPY TABLE

S3

Three-section therapy table to perform various therapies

Description


- Handset with memory function for electric adjustment of height, back and seat section
- Table width is 65 or 75 cm
- Circular switch enables height adjustment from any side of the table
- Table ensures maximum comfort
- Thicker seamless padding (6 cm)
- Oblong, oval or wide oblong breathing hole
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

TMS3

Accessories

- COO – breathing hole plug
- TVL – three-part head section
- DND – divided leg section
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest (pair)
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder under head section
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup
- EVVS – control safety switch





COO




DND



TVL






THERAPY TABLE

S4

Four-section therapy table to perform various therapies



Description

- Handset with memory function for electric adjustment of height, back and seat section
- Table width is 65 or 75 cm
- NEW! All four table sections can be hand adjustable (TMS4-NR)
- Circular switch enables height adjustment from any side of the table
- Table ensures maximum comfort
- Thicker seamless padding (6 cm)
- Oblong, oval or wide oblong breathing hole
- Base cover design enables free side access
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Variety of accessories
- Upholstery available in more than 40 colors

Model

TMS4

Accessories

- COO – breathing hole plug
- TVL – three-part head section
- DND – divided leg section
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder under head section
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup
- EVVS – control safety switch




TVL



NZR





THERAPY TABLE

S8
Osteo

Fully equipped top quality table to perform osteopathy and other therapies

Description


- Handset with memory function for electric adjustment of height, back and seat section
- Table width is 65 or 75 cm
- Circular switch enables height adjustment from any side of the table
- Oblong, oval or wide oblong breathing hole with a matching plug
- Three-part head section
- Stitched padding (6 cm), thick also at the sides of table top
- Folding side armrests are integrated in the back section for easy access to the patient
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Upholstery available in more than 40 colors


Model


TMS8-os

Accessories

- DND – divided leg section
- STSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- PVCS – PVC cover for leg section
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup
- EVVS – control safety switch







THERAPY TABLE

**S8_{Osteo}
Luxury**

Fully equipped table with complete electric adjustment to perform osteopathy and other therapies

Description


- Handset with memory function for electric adjustment of all four table sections
- Table width is 65 or 75 cm
- Circular switch enables height adjustment from any side of the table
- Oblong, oval or wide oblong breathing hole with a matching plug
- Three-part head section
- Stitched padding (6 cm), thick also at the sides of table top
- Folding side armrests are integrated in the back section for easy access to the patient
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Increased lifting capacity (240 kg)
- Battery backup
- Upholstery available in more than 40 colors

Model

TMS8-os-lux

Accessories


- STSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm)
- EVVS – control safety switch





NZP6





THERAPY TABLE

S8
Exclusive

Equipped top quality table to perform various therapies

Description


- Handset with memory function for electric adjustment of height, back and seat section
- Table width is 65 or 75 cm
- Circular switch enables height adjustment from any side of the table
- Oblong, oval or wide oblong breathing hole with a matching plug
- Three-part head section
- Stitched padding (6 cm), thick also at the sides of table top
- Folding side armrests on back section
- Supplied with retractable castors (Ø 75 mm) to move at short distances and
- Upholstery available in more than 40 colors

Model

TMS8-ex

Accessories

- DND – divided leg section
- STSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- PVCS – PVC cover for leg section
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup
- EVVS – control safety switch






NZP6



STSU





THERAPY TABLE

S8
Luxury

Equipped table with complete electric adjustment to perform various therapies

Description


- Handset with memory function for electric adjustment of all four table sections
- Table width is 65 or 75 cm
- Circular switch enables height adjustment from any side of the table
- Oblong, oval or wide oblong breathing hole with a matching plug
- Three-part head section
- Stitched padding (6 cm), thick also at the sides of table top
- Folding side armrests on back section
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Increased lifting capacity (240 kg)
- Battery backup
- Upholstery available in more than 40 colors

Model

TMS8-lux

Accessories


- STSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- NZP6 – paper roll holder at the table base
- AC – antistatic castors (Ø 75 mm)
- EVVS – control safety switch





NZP6





OP SURGERY TABLE

S8
Luxury

Equipped table with complete electric adjustment for surgeries

Description


- Handset with memory function for electric adjustment of all four table sections
- Circular switch enables height adjustment from any side of the table
- Table width is 65 or 75 cm
- Oval obreathing hole with plug
- Narrow head section
- Fixation rails at sitting and back section
- Extra thick seamless padding (8 cm) and integrated memory foam
- Special rotatable armrest
- Supplied with antistatic retractable castors (Ø 75 mm) to move at short distances
- Increased lifting capacity (240 kg)
- Built in battery backup
- Antistatic black upholstery

Model

TMS8-lux-OP

Accessories


- SIF – infusion stand (telescopic)
- NZP6 – paper roll holder at the table base
- EVVS – control safety switch





NZP6





ENT SURGERY TABLE

S8
Luxury

Equipped table with complete electric adjustment for ENT surgeries

Description

- Handset with memory function for electric adjustment of all three table sections
- Table width is 65 or 75 cm
- Circular switch enables height adjustment from any side of the table
- ENT headrest
- Fixation rails at sitting and back section
- Extra thick seamless padding (8 cm) and integrated memory foam
- Special rotatable armrest
- Supplied with antistatic retractable castors (Ø 75 mm) to move at short distances
- Increased lifting capacity (240 kg)
- Built in battery backup
- Antistatic black upholstery

Model


TMS8-lux-ENT


Accessories

SIF – infusion stand (telescopic)

NZP6 – paper roll holder at the table base


EVVS – control safety switch





NZP6





BOBATH

S

Stable table for rehabilitation

Description


- Electric height adjustment
- One or two section table
- Table width is 90, 100, 110 or 120 cm
- Lifting capacity is 240 kg
- Circular switch enables height adjustment from any side of the table
- Thicker seamless padding (6 cm)
- Supplied with retractable castors (Ø 75 mm) to move at short distances
- Upholstery available in more than 40 colors

Model

BMS

Accessories


- AC – antistatic castors (Ø 75 mm)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





RS





TRANSPORT TABLE

SL

Basic table to admit, transport and treat urgent patients

Description

- Hydraulic or electric height adjustment
- Table width is 55 or 65 cm
- Circular switch with electric model enables height adjustment from any side of the table
- Easy head section adjustment
- Thicker seamless padding (6 cm)
- Stainless steel safety rails on both sides
- Ø 125 mm castors with central locking system
- Base cover design enables free side access
- Supplied with bumpers and push handles
- Variety of accessories
- Three x-ray permeable zones
- Upholstery available in more than 40 colors


Model


TRMSL

Accessories

- SIF – infusion stand
- LE – fixation rail
- NZR – armrest
- NZR1 – elevated armrest
- MOL – side table
- NZP-STR – paper roll holder under head section
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch







STRETCHER

S

To admit, transport and treat urgent patients

Description

- Hydraulic height adjustment
- Table width is 64 or 74 cm
- Lifting capacity is 240 kg
- X-ray permeable
- Ø 200 mm castors with central locking system
- Stainless steel safety rails on both sides
- Personal storage space and oxygen bottle holder are integrated into the base
- PU coating resistant to blood, urine, oil, fat and disinfectants (available in white, black (antistatic) and navy)




Model

STRS

Accessories

- SIF-STR – infusion stand
- LE6 – fixation rails
- LE12 – fixation rail on push handle
- NZP-STR – paper roll holder
- MH – monitor holder
- PK – fifth wheel
- AC-STR – antistatic wheel
- ZR-STR – foldable push handle
- MOL4 – nutrition table (60x40 cm)






NKP-STR



ZR-STR



SIF-STR



PK



MH



SIF-STR

LE6



Q Line

Day Hospital Chair Q

Multifunctional Chair Rotation is The Solution for Patient Handling, Transfer and Treatment in Outpatient Environments.

1 Admission

Low and safe position of the chair allows the patient to settle on the chair with little or no help of the personnel.

2 Transfer

The patient can be transferred from room to room or longer distances easily. A small footprint, double castor system, push handles and integrated automatic cable winder make the chair extremely maneuverable and easy to handle.

3 Preparation

An advanced control unit makes the chair adjustment extremely quick and easy. Free side access and adjustable height of the chair enables the personnel to work in an ergonomic position.

4 Procedure


Blocked chair provides a sturdy and adjustable procedural surface with good access to the patient for simple and more complex same-day surgeries. Quickly accessible buttons allow further fine tuning to optimize appropriate patient position.

5 Recovery

The chair offers first class comfort during post-operative care and relaxation. As no patient transfer is needed, the risk of patient and staff injuries is reduced.



6 Discharging

The chair is transferred out of the recovery room and automatically lowered into position for the patient to leave easily and safely.



Special Clinic Benefits:

- No physical patient transfer
- Reduced risk of injuries for patient and personnel
- Less laundry, cleaning and disinfections
- Reduced equipment storage and less inventory
- Simpler infection control



DAY HOSPITAL CHAIR

Q

A professional support to have all the work done in one place



Description

- Full electric adjustment of height and all four sections of the chair
- Pre-setting of three basic positions, two SOS positions and two additional favorite positions of the chair
- Simultaneous head section adjustment
- Trendelenburg and antitrendelenburg position
- Smaller overall chair dimensions to save over 40% of floor space
- Double castors with central locking system (Φ 150 mm), two antistatic, provide for perfect mobility and easy handling
- Push handles at the back
- Anatomically designed removable padding with memory foam and seamless endings
- PU coating resistant to blood, urine, oil, fat and disinfectants (available in white, black (antistatic) and navy)



- Covers for better protection and easier maintenance and cleaning
- Maximum stability of the chair in any position (max load 240 kg)
- Built in battery backup
- Integrated automatic cable winder

Model

DHCQ

Accessories

- RL-DHCQ – LED reading lamp
- SIFQ – infusion stand
- MSR – multifunctional arm board / table and fixation rails (pair)
- LEQ – fixation rail
- HCQ – head cushion Q
- NZPQ – paper roll holder
- MKQ – retractable castoring system
- PVC-DHCQ – PVC cover for leg section
- FR-DHCQ – electric adjustable footrest



NSR



SIFQ



LEQ



NZPQ



SIFQ

RL-DHCQ

MSR

LEQ



DIALYSIS CHAIR



DCQ

Dialysis Chair Q is a smart and the most comfortable Solution for long lasting therapies. The high-tech control unit enables setting for over 85% of all treatments with a simple 3-button operation.



“Easy Access” position (1)

Low position of the chair and adjustable armrests make the patient's access smooth and safe.



“Setting a therapy” position (2) and additional adjustments

Quick and easy adjustment of the chair and side access reduce preparation time and offers optimal working conditions for the personnel setting a therapy.




“Therapy in progress” position (3)

First-class comfort and privacy during long lasting therapy is guaranteed. Patients can adjust the chair position from sitting upright to lying flat, while the armrests and footrest adjust automatically according to the patient's position and size. Wide and long padding and discreet reading lamp make the patient's stay even more comfortable.




“Quick-access emergency buttons” (SOS)

In case of emergency there are two pre-stored positions: recovery position and CPR position. By pressing a single button the chair is automatically set properly.



Special clinic benefits:

- Easy-to clean protective covers
- Removable smooth padding
- Less laundry, cleaning and disinfections
- Simpler infection control
- Saving up to 40% of floor space compared to a hospital bed
- Reduced equipment storage and less inventory




DIALYSIS CHAIR

Q

Focus on the patient, leave the rest to the chair



540 / 890



Description

- Full electric adjustment of height, all four sections and footrest with an advanced control unit:
 1. pre-setting of three basic positions:
 - arrival and easy access
 - setting a therapy
 - therapy in progress
 2. pre-setting of two SOS positions
 3. memory function to store two additional favorite positions
- Smaller overall chair dimensions to save up to 40% of floor space
- Automatic armrest and footrest adjustability to provide optimal position of the patient during treatment
- Retractable castors to move at short distance
- Maximum stability of the chair in any position
- Anatomically designed removable padding with memory foam and seamless endings
- PU coating resistant to blood, urine, oil, fat and disinfectants (available in white, black (antistatic) and navy)



- Simultaneous head section adjustment
- Covers for better protection and easier maintenance and cleaning
- Built in battery backup

Model

DCQ

Accessories

- RL-DCQ – LED reading lamp
- SIFQ – infusion stand
- CKQ – double castors with central locking system and integrated automatic cable winder
- PH -DCQ– push handles
- HCC – head cushion Q
- NZPQ – paper roll holder
- PVC-DCQ – PVC cover for leg section



SOS
POSITION



NZPQ



CKQ



NZPQ


RL-
DCQ



RL-
DCQ



SIFQ



62




N Line

At first there was emptiness...we listened to your wishes and needs...we've been

drawing the first lines and searching for innovative solutions since 1979 ... outcome?





GYNAECOLOGY CHAIR

N

With innovative solutions and simple use the chair speeds up your work



Description

- "DUO" or "CLASSIC" leg rests
- "DUO" leg rest allow for vaginal examination as well as abdominal examination with legs extended without any chair adjustments.
- By pressing only one button the chair automatically sets into position for examination or patient access. And together with height and back rest adjustment, the chair ensures our wishes and needs are provided for.
- The chair can be equipped with legs (STEADY) or individually lockable castors (READY).
- Along with minimum use of disinfectants, the chair design enables effective achievement of hygiene standards.
- Thicker seamless padding (6 cm)
- Upholstery available in more than 40 colors

Model

GYN

GYN-ex

Accessories

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- COLH – colposcope holder
- NZNW – white "CLASSIC" leg rest
- PVC-GYN – PVC cover for seating section
- PVC-DUO – PVC cover for "DUO" leg rests

GYN-ex



Additional HAND SWITCH for height and backrest adjustment with two memory buttons and prestored S.O.S. position.



CL



STEADY



DUO




COLH



NZNW






THERAPY CHAIR

N

When comfort is the priority also during longer therapies



Description

- Comfort in all positions is ensured by »UP & OUT« leg rests. When lowering the chair, leg section shrinks and enables patients to access easily. When adjusting into lying position, leg section lengthens and offers patient maximum comfort during therapy.
- In order to meet your needs, Therapy chair N is available in two varieties differing in adjustment:
TYN-sinhro, back and leg section move synchronously, and **TYN-free**, back and leg section move independently.
- With both varieties the base can be equipped with legs (STEADY), individually lockable castors (READY) or castors with central locking system (GO).
- Adjustable arm rests and support handles are attached to fixation rail (-LE) or to chair directly
- Paper roll holder
- Push handles (models with castors)
- Thicker seamless padding (6 cm)
- Upholstery available in more than 40 colors

Model

TYN

Accessories

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- SIF5 – infusion pole
- RL2 – LED reading light
- MOL1 – nutrition/reading table (approx. 63 x 42 cm)
- MOL2 – instrument table (60 x 40 cm)
- MOL3 – instrument table (35 x 25 cm)
- FR-N – foot rest (only for TYN-free)
- PVC-N – PVC cover for leg section
- HCN – head cushion N
- WTYN2 – wider chair for 10 cm (only for TYN-sin/free-LE)



MOL1



SIF5




FR-N



SOS
POSITION




GO



BLOOD SAMPLE CHAIR

N

For small procedures in laboratory



Description

- Easy- adjustable arm rests are comfortable and pleasant to touch as well as easy to clean and maintain.
- Adjustable arm rests and support handles are attached to fixation rail (-LE) or to chair directly
- Patients settle easily thanks to low chair position and removable support handles.
- The chair is easily set into trendelenburg position by a shock lever. The lever is pushed by foot so that hands stay free to help the patient.
- The chair can be equipped with legs (STEADY) or individually lockable castors (READY).
- Thicker seamless padding (6 cm)
- Upholstery available in more than 40 colors

Model

BON

Accessories

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- SIF5 – infusion pole
- PVC-N – PVC cover for leg section
- HCN – head cushion N



READY




SOS
POSITION



PVC-N







PODIATRY CHAIR

N

For perfect comfort during therapy and leg treatment



Description

- The chair ensures optimal working height (high position to work while standing or lower position to work while sitting)
- Power adjustable height, back and leg sections
- Chair in flat position can serve also as an examination table
- Comfortable and strong arm rests follow the moving of back section
- Thicker seamless padding (6 cm)
- Upholstery available in more than 40 colors


Model

PON

Accessories

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)





ENT / NEURO CHAIR

N

For optimal ENT and neurological examination and treatment of adults and children

Description

- Electrically adjustable chair on legs (STEADY) or with lockable castors (READY)
- Back and leg sections are independently adjustable (FREE).
- ENT head rest is adjustable in multiple directions and can support the head of an adult or a child.
- Armrests adjust to the movement of the back section and enable minor positional changes.
- UP & OUT leg rests lengthen in a high position and shrink in a low position. Low position of the chair enables an easy access, while the lengthened leg rests offer a patient maximum comfort during therapy.
- Easy setting into trendelenburg position.
- Smooth and seamless padding's surface (6 cm) and easily accessible paper roll holder permit efficient cleaning with minimal use of disinfectants.
- Upholstery available in more than 40 colors

Model

ENT

Accessories

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- SIF5 – infusion pole
- PVC-N – PVC cover for leg section





SIF5



PVC-N





Complimentary Products

Accessories creating better working conditions
harmony of color and design characterizes our equipment



SURGEON CHAIR

Antistatic stool with foot operated pneumatic height control to allow hands free adjustment of the seat height for surgeon

Description

- Comfortable stool with foot operated pneumatic height control
- 360° swivel
- Chrome-plated stool base and foot ring
- Antistatic upholstery in black
- Five antistatic castors ensure perfect stability and mobility
- Dimensions:
 - Base diameter: 53 cm
 - Seat diameter: 36 cm
 - Seat height: adjust from 48 to 61 cm

Model

OP (surgeon stool without backrest)

OPN (surgeon stool with backrest)





MEDICINE STOOLS

For maximum comfort while working and complete harmonisation of working space

Description

- Extremely comfortable stool with height adjustment ensures perfect comfort while working
- Upholstery available in more than 40 colors
- Chrome-plated stool base
- 360° swivel
- Five castors coated in rubber ensure perfect stability and mobility
- Also possible with rubber feet instead of castors
- Dimensions (SO,SON):
Base diameter: 54 cm
Seat diameter: 36 cm
Seat height: adjust from 46 to 58 cm
- Dimensions (SZ, SZN):
Base diameter: 62 cm
Seat diameter: 36 cm
Seat height: adjust from 51 to 60 cm

Model

- SO (round base, without backrest)
- SON (round base, with backrest)
- SZ (star base, without backrest)
- SZN (star base, with backrest)



FACE CUSHION

Gently cradles your face during massage



Description

Face comfort contributes greatly to perfect comfort. Body relaxation increases therapy effects. The cushion was thoughtfully designed to prevent undesired creases on the face when lying face-down. It fits all Novak M's massage and therapy tables.

- Memory foam conforms to the shape of a face and after each use reshapes to its default position
- Textile cover is available in white and blue and is skin friendly
- Cover made of 97% cotton and 3% elastane
- Dimensions: 25 x 30 x 5 cm

Model

OB





Colour Chart


When you need more colors.

There are more than 40 colors, of high quality simulated leather for tables used in hospitals, wellness and beauty centers to choose from. The material can be resistant to blood, urine, disinfectants, salt water, UV rays, microorganisms and mould. Their maintenance is easy; they are all waterproof and flame retardant according to international standards. Their elasticity and suppleness offer an outstanding lying and seating comfort during treatment.




Colour Chart 1

Imitation leather colours
(atn-07,08)



Colour Chart 2

Imitation leather colours
(ferrari-stamskin® top)





Colour Chart 3

Imitation leather colours
(AKW-amalfi)





A series of 30 horizontal lines for writing, alternating between white and light gray backgrounds.

The enabling power
of applied knowledge

29 Alexandra Place
Bentley, WA 6102
PO Box 605, Bentley WA 6982
T 08 9351 7500 F 08 9350 5299
info@unicarehealth.com.au
www.unicarehealth.com.au

